

Thursday, October 20, 2016 3:07:57 PM

152144

Item ID: D3975-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Gas Cylinder

Start Date: 10/20/2016 **Start Qty:** 5.00

5

Cust Item ID:

Required Date: 10/21/2016 **Req'd Qty:** 5.00

5

Customer:

Reference: *Rework*

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

~~DAS
9
9-89~~
DAS
38
9-89

Work Order ID 152144

Thursday, October 20, 2016 3:07:57 PM

152144

Page 2

Item ID: D3975-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Gas Cylinder
Start Date: 10/20/2016 Start Qty: 5.00 ***5*** Cust Item ID:
Required Date: 10/21/2016 Req'd Qty: 5.00 ***5*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Packaging	0.00							
150									
Packaging	Memo	0.00							
Packaging	REIDENTIFY AS D3975-1, USING NEW B/N								
	Identify as per dwg and Stock								
	Location: <u>Stolep</u>								
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.00							
Quality Control									

5 NOV 29 2016 **DAS 6 9-8C**

16/11/29 

DAS 21 9-8C

NOV 29 2016

Picklist Print

Thursday, October 20, 2016 3:09:15 PM

Page 1

Work Order ID: 152144

152144

Parent Item: D3975-1

D3975-1

Parent Item Name: Gas Cylinder

Start Date: 10/20/2016

Required Date: 10/21/2016

Start Qty: 5.00

Required Qty: 5.00

Comments: IPP Rev:A 10.05.27 as per ECN10-548 DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
41232-200-007-001		Manufactured	No				Each	5.0000		5			
41232-200-007-001									**				
Brass Cylinder Assembly													

Location

Loc Qty

Loc Code

ST600

5

39219

1

42266

4

List Lots

Page 1 of 1

Thursday, October 20, 2016 2:43:00 PM


Criteria : Item ID: 41232-200-007-001 All Locations All Warehouses All Quantity

Item ID Item Name	Warehouse ID Location ID	Lot Number	Last Trans Date	Lot Qty	Shelf Life Dt	Lot Code	Type Code	Comments
41232-200-007-001 Brass Cylinder Assembly	Main Warehouse ST600	39219	5/3/2016	1.0000		QC21		
	Main Warehouse ST600	42266	5/3/2016	4.0000		QC21		
Total:				5.0000				


152144 h

ITEM No.	QTY -041	QTY -042	PART NUMBER	DESCRIPTION
1	X		D3975-041	GAS CYLINDER ASSEMBLY (LH)
2		X	D3975-042	GAS CYLINDER ASSEMBLY (RH)
3	1	1	D3975-1	GAS CYLINDER
4	1		D3976-1	DECAL
5		1	D3976-3 ^A	DECAL

w/o 152144





D3975-041 GAS CYLINDER ASSEMBLY



D3975-042 GAS CYLINDER ASSEMBLY

RELEASED
2010-05-20

B	CORRECTED TYPO: D3976-3 WAS D3975-3 (ZN D7-1).	MB	10.04.13
A	NEW ISSUE	AJS	09.07.09
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE USA, INC	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3975	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		GAS CYLINDER ASSEMBLY	NTS
DATE	10.04.13	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D3975-1 BRASS CYLINDER

NOTES:

- 1) MATERIAL: CROSS REFERENCE Era DRAWING 41232-200-007
PURCHASE P/N: HEAVY DUTY BRASS CYLINDER 7D1H
VENDOR: CLIPPARD INSTRUMENT LABORATORY, INC, CINCINNATI, OH.
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH Era P/N 41232-200-007-001 USING VIBRATING STYLUS
- 7) WEIGHT: 0.74 lbs APPROX
- 2) BORE: 0.875 INCHES
- 3) ROD: ROTATING.
- 4) 7D1H CONFIGURED WITH HYD. FLUID SEALS.
- 5) TEMPERATURE RANGE: 30° F TO 230° F.
- 6) MOUNT: UNIVERSAL MOUNT.
- 7) ACTION: DOUBLE ACTING.
- 8) STROKE: 1.000 INCH.
- 9) POWER FACTOR: 0.6 SQ. IN.
- 10) PORTS: 1/8 NPT.
- 11) ROD DIAMETER: 0.25 INCHES.
- 12) SINTERED BRONZE ROD BUSHING.
- 13) PRESSURE TEST: 2660 PSI (USE 5606 FLUID).

RELEASED
2010-05-20

DESIGN	AS	DART AEROSPACE USA, INC	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3975	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		GAS CYLINDER ASSEMBLY	NTS
DATE	10.04.13	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

Date: Wednesday, 24/09/2008 12:47:51 PM
 User: Julie Lecocq

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: HYDRAULIC CYLINDER
Job Number	: 42266		
Estimate Number	: 12750		
P.O. Number	:	Part Number	: 41232 200 007 001
This Issue	: 24/09/2008 S.O. No. :	Drawing Number	: 41232-200-007 REV IR
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: // Type : PURCHASED PARTS	Drawing Revision	: IR
Previous Run	: 39219	Material	:
Written By	:	Due Date	: 20/10/2008 Qty: 19 Um: Each
Checked & Approved By	: <u>JLD 08.9.24</u>		
Comment	: Est Rev:A New Issue 07-02-23 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	7D 1 H	Clippard Brass Cylinder
-----	--------	-------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)
 Spring (Step Actuator)

2.0	PG	PURCHASING
-----	----	------------




Comment: PURCHASING
 Issue P/O: 7244
 Possible Supplier: Wainbee
 Material release note is required

C208/09/25

(10)

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Receive & Inspect For Transit Damage
 Ensure material certification is attached

R 8/10/15 (10)

4.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------



Comment: INSPECT WORK TO CURRENT STEP

808/10/17 (10)

5.0	SPRAY PAINTING	SPRAY PAINTING
-----	----------------	----------------



Comment: SPRAY PAINTING
 Mask threaded ends and threaded holes.
 1-Apply polyimide primer
 Batch: 109278
 2-Apply polyurathane coating gloss black
 Batch: 109278

}

08-10-24 (10)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 24/09/2008 12:47:51 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: HYDRAULIC CYLINDER

Job Number: 42266

Part Number: 41232 200 007 001

Job Number:



Seq. #: Machine Or Operation:

Description:

Note: Paint Nut on threaded end and leave attached to assembly

6.0

QC14

INSPECT SPRAY PAINT



ml 08 10 29

10



10

08-10-29

Comment: Inspect Spray Paint

7.0

PACKAGING 1

PACKAGING RESOURCE #1



10x

Comment: PACKAGING RESOURCE #1

Install Decal then
Identify and Stock
Location: 367

8/10/29

8.0

QC21

FINAL INSPECTION/W/O RELEASE



08/10/31

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF- 08-10-29

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR: Yes No** **DQA:** _____ **Date:** _____
Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DATE 2/26/04	ENGINEERING ORDER	E.O. No. B-1	SHT. 1 OF 1
BY D. NELSON		DWG. AFFECTED 41232-200-002	
APPROVED BY		SHEET AFFECTED SHT 1 & 3	
TITLE STEP ACTUATOR COMPONENTS			

REASON FOR CHANGE: CHANGED DASH NO. OF INSERT ON L/M; CHANGED INSERT CALLOUT ON -005 PIVOT ARM.

MINOR CHANGE - FAR 21.95

ON WORK ORDER
WITHOUT NOTICE
SUBJECT TO AMENDMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY


IS

1	MS21209F4-10	INSERT
---	--------------	--------

WAS


1	MS21209F4-15	INSERT
---	--------------	--------

IS




-005 PIVOT ARM

WAS



-005 PIVOT ARM

CHANGE REQUIRED:	DATE:	BY:	YES	NO
TRAVELER				
INSTALLATION INSTRUCTIONS				
MAINTENANCE INSTRUCTIONS				
ILLUSTRATED PARTS				
UNINCORPORATED DRAWING LIST				
MASTER DRAWING LIST				
COMPUTER DATA BASE				



16 VIBRO ETCH ERA P/N 41232-200-007-001.

15. APPLY POLYURETHANE COATING, GLOSS BLACK (535U) IN ACCORDANCE WITH ERA PROCESS SPECIFICATION 4009.

14. APPLY POLYIMIDE PRIMER IN ACCORDANCE WITH ERA PROCESS SPECIFICATION 4004.

13. PRESSURE TEST: 2660 PSI (USE 5606 FLUID).

NOTE - ALTER 7D1H ASSY IN ACCORDANCE WITH INSTRUCTIONS LISTED ABOVE.

12. SINTERED BRONZE ROD BUSHING.

11. ROD DIAMETER: 0.25 INCHES.

10. PORTS: 1/8 NPT.

9. POWER FACTOR: 0.6 SQ. IN.

8. STROKE: 1.000 INCH.

7. ACTION: DOUBLE ACTING.

6. MOUNT: UNIVERSAL MOUNT.

5. TEMPERATURE RANGE: 30° F TO 230° F

4. 7D1H CONFIGURED WITH HYD. FLUID SEALING

3. ROD: ROTATING.

2. BORE: 0.875 INCHES.

1. HEAVY DUTY BRASS CYLINDERS.

-001 BRASS CYLINDER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 4224

NOTES:

-001		BRASS CYLINDER 7D1H		CLIPPARD INSTRUMENT LABORATORY, INC., CINCINNATI, OH.	
PART NO.		NAME		STOCK SIZE	MATERIAL
NO. REQ'D PER ASSY		LIST OF MATERIAL		MATL. SPEC	ZONE
PROPRIETARY RIGHTS NOTICE		UNLESS OTHERWISE SPECIFIED X.S.1		DESIGNER	D. NELSON
THESE DES. ARE PROPERTY OF CLIPPARD INSTR. LAB. AND ARE NOT TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT WRITTEN AUTHORIZATION FROM CLIPPARD INSTR. LAB.		CHECK		D. MURPHY	3/14/03
-001		STRESS			
2		FINISH			
41232-000-001		HEAT TREAT			
NEXT ASSEMBLY		FINISH			
		TITLE		HYDRAULIC CYLINDER (ALTERED ITEM DRAWING)	
		DWO. SIZE		C	SCALE
		NONE			
		DWO. NO.		41232-200-007	REV.
		Era Aviation, Inc.			IR



WAINBEE LIMITED
215 BOUL BRUNSWICK
POINTE CLAIRE, PQ H9R 4R7
Phone: 514-697-8810 Fax: 514-697-3070

Packing List

CUSTOMER P/O NUMBER

:PO00007244

RELEASE # 15017389-1

DATE 10/14/08 09:46:51

127404
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
613-632-3336

SHIP TO
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

ORDER NUMBER 15017389	ORDER DATE 09/25/08	SHIP DATE 10/14/08	WRITTEN BY Hugues Roy	CONTACT CHANTAL LAVOIE(t)			
CUSTOMER P/O NUMBER :PO00007244							
JOB #							
RELEASE #							
PRODUCT / DESCRIPTION			QUANTITY OPEN	U/M	QUANTITY SHIPPED	QUANTITY BACKORDERED	PRICE /EXTENSION

7D-1-H	10	EA	10	0	80.440
--------	----	----	----	---	--------

CLIPPARD BRASS CYLINDER

804.40

S
09/20/17

Wainbee's Standard Terms and Conditions Apply

Returned Goods Not Accepted Without Prior Authorization.

Claims For Shortages Or Losses Are Not Accepted 10 Days After Shipment.

Date: Tuesday, 13/05/2008 9:27:45 AM
 User: Julie Lecocq

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: HYDRAULIC CYLINDER
Job Number	: 39219		
Estimate Number	: 12750		
P.O. Number	:	Part Number	: 41232 200 007 001
This Issue	: 13/05/2008 S.O. No. :	Drawing Number	: 41232-200-007 REV IR
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: / /	Drawing Revision	: IR
Previous Run	: 30942	Material	:
Written By	:	Due Date	: 05/06/2008
Checked & Approved By	: <u>JUL 08.5.13</u>	Qty:	6 Um: Each
Comment	: Est Rev:A New Issue 07-02-23 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	7D 1 H	Clippard Brass Cylinder
-----	--------	-------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 6.0000 Each(s)
 Spring (Step Actuator)

2.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING
 Issue P/O: 6357
 Possible Supplier: Wainbee
 Material release note is required

C 208/07/16

(6)

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Receive & Inspect For Transit Damage
 Ensure material certification is attached

AS 08/08/13

(46)

4.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------



Comment: INSPECT WORK TO CURRENT STEP

JUL 08.14 (5)

5.0	SPRAY PAINTING	SPRAY PAINTING
-----	----------------	----------------



Comment: SPRAY PAINTING
 Mask threaded ends and threaded holes.
 1-Apply polyimide primer
 Batch: M109278
 2-Apply polyurathane coating gloss black
 Batch: M109278

M1 08 09 16

(6)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 13/05/2008 9:27:45 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: HYDRAULIC CYLINDER

Job Number: 39219

Part Number: 41232 200 007 001

Job Number:



Seq. #:

Machine Or Operation:

Description :

Note: Paint Nut on threaded end and leave attached to assembly

6.0

QC14

INSPECT SPRAY PAINT



Comment: Inspect Spray Paint

S0202/19 (16)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Install Decal then
Identify and Stock
Location: _____

*N/A - after ass'y 08/09/19 + 4 SYLVIA
08/19 (2)*

8.0

QC21

FINAL INSPECTION/W/O RELEASE



08/09/19

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-09-19


Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



16 VIBRO ETCH ERA P/N 41232-200-007-001.

15. APPLY POLYURETHANE COATING, GLOSS BLACK (5351) IN ACCORDANCE WITH ERA PROCESS SPECIFICATION 4009.

14. APPLY POLYIMIDE PRIMER IN ACCORDANCE WITH ERA PROCESS SPECIFICATION 4004.

13. PRESSURE TEST: 2660 PSI (USE 5606 FLUID).

NOTE - ALTER 7D1H ASSY IN ACCORDANCE WITH INSTRUCTIONS LISTED ABOVE.

12. SINTERED BRONZE ROD BUSHING.

11. ROD DIAMETER: 0.25 INCHES.

10. PORTS: 1/8 NPT.

9. POWER FACTOR: 0.6 SQ. IN.

8. STROKE: 1.000 INCH.

7. ACTION: DOUBLE ACTING.

6. MOUNT: UNIVERSAL MOUNT.

5. TEMPERATURE RANGE: 30° F TO 230° F.

4. 7D1H CONFIGURED WITH HYD. FLUID SEALS.

3. ROD: ROTATING.

2. BORE: 0.875 INCHES.

1. HEAVY DUTY BRASS CYLINDERS.

NOTES:

-001 BRASS CYLINDER

41232 200 008 001
002

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38214

-001		BRASS CYLINDER 7D1H		CLIPPARD INSTRUMENT LABORATORY, INC., CINCINNATI, OH.	
PART NO.		NAME		STOCK SIZE	
NO. REQ'D PER ASSY		LIST OF MATERIAL		MATERIAL	
PROPRIETARY RIGHTS NOTICE		UNLESS OTHERWISE SPECIFIED X.S.I		DIFFERENTIAL	
2		41232-000-001		D. NELSON 3/14/03	
NEXT ASSEMBLY		ANALYSIS 2.1/2		CHECK D. MURPHY 3/14/03	
				STRESS	
				TENSILE	
				HEAT TREAT	
				FINISH	
				TITLE	
				HYDRAULIC CYLINDER (ALTERED ITEM DRAWING)	
				DWO. SIZE C	
				SCALE NONE	
				DWO. NO.	
				41232-200-007	
				REV.	
				IR	

Eva Aviation, Inc.



WAINBEE LIMITED
215 BOUL BRUNSWICK
POINTE CLAIRE, PQ H9R 4R7
Phone: 514-697-8810 Fax: 514-697-3070

Packing List

CUSTOMER P/O NUMBER

:6357

RELEASE # 11199957-1

DATE 08/12/08 09:44:43

127404
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
613-632-3336

SHIP TO
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

ORDER NUMBER 11199957	ORDER DATE 07/16/08	SHIP DATE 08/12/08	WRITTEN BY Martin Lessard	CONTACT C LAVOIE
CUSTOMER P/O NUMBER :6357				
JOB # F				
RELEASE #				

PRODUCT / DESCRIPTION	QUANTITY OPEN	U/M	QUANTITY SHIPPED	QUANTITY BACKORDERED	PRICE /EXTENSION
7D-1-H CLIPPARD BRASS CYLINDER	6	EA	6	0	76.210 457.26

✓
18/05/13

Wainbee's Standard Terms and Conditions Apply

Returned Goods Not Accepted Without Prior Authorization.

Claims For Shortages Or Losses Are Not Accepted 10 Days After Shipment.